
15

20

30



15

Claims

- Mass storage comprising multiple tracks of information, wherein a subset of said tracks is sufficient for basic perception, characterized in that at least two of said tracks comprise synchronization markers, to enable a seamless change between said tracks during reproduction.
- 2. Mass storage according to claim 1, wherein said synchronization markers are to enable a time synchronization of said different tracks during reproduction.
 - 3. Mass storage according to claim 1 or 2, wherein said synchronization markers are to enable a logical synchronization of data within the tracks.
 - 4. Mass storage according to claim 1, 2 or 3, wherein said synchronization markers comprise an information about the storage location of other tracks.
 - 5. Mass storage according to anyone of the preceding claims, characterized in that at least one of said tracks has a different length than the other one.
 - 6. Mass storage according to anyone of the preceding claims, wherein at least one of said tracks comprises at least one hyperlink.
- 7. Mass storage according to anyone of the preceding claims, characterized by data to relate the reproduction of said tracks to predetermined rules.
 - 8. Electronic reproduction device, comprising a multi-track reproducer, for reproducing stored multi-track reproduction data, characterized by a component to adapt the reproduction of said tracks to predetermined conditions, said adaptation component being connected to said reproducer, and being adapted to operate a seamless change of the reproduction between two tracks having synchronisation markers.
- Electronic reproduction device according to claim 8, characterized in that said adaptation
 component is configured to automatically change the tracks during reproduction.
 - 10. Electronic reproduction device according to claim 8 or 9, characterized in that said adaptation

10

25

30

component is configured to automatically change the reproduction of said tracks during reproduction.

- 11. Electronic reproduction device according to anyone of claims 8 to 10, characterized by at least one sensor connected to said adaptation component for detecting environmental conditions
 - 12. Electronic reproduction device according to anyone of claims 8 to 11, wherein one of said sensors is an illumination sensor.
 - 13. Electronic reproduction device according to anyone of claims 8 to 12, wherein one of said sensors is an acceleration sensor.
- 14. Electronic reproduction device according to anyone of claims 8 to 13, wherein one of said sensors is an acoustical sensor.
 - 15. Electronic reproduction device according to anyone of claims 8 to 14, wherein one of said sensors is a location sensor.
- 20 16. Electronic reproduction device according to anyone of claims 8 to 15, wherein one of said sensors is an optical sensor.
 - 17. Electronic reproduction device according to anyone of claims 8 to 16, wherein one of said sensors is an electrical sensor.
 - 18. Electronic reproduction device according to anyone of the preceding claims, characterized by an interface to connect to said reproducer.
 - 19. Electronic reproduction device according to anyone of the preceding claims, characterized by a built-in mass storage connected to said reproducer.
 - 20. Electronic reproduction device according to anyone of the preceding claims, characterized by a built in communication device.
- 21. Electronic reproduction device according to claim 20, wherein said communication device comprises a mobile telephone.

22. Method for reproducing stored multi-track reproduction data accordance with predetermined conditions,

identify said predetermined conditions, and automatically adapt the reproduction of said tracks to said predetermined conditions.

5

- 23. Method according to claim 22, further comprising relating said predetermined conditions to rules concerning the reproduction of said multi-track reproduction data.
- 24. Method according to claim 22 or 23, further comprising detecting environmental conditions,
 and wherein said adapting to predetermined conditions include the adapting to environmental conditions.
 - 25. Software tool comprising program code means for carrying out the steps of anyone of claims 22 to 24 when said program is run on a network device or a mobile terminal device.

15

26. Computer program comprising program code means for carrying out the method of anyone of claims 22 to 24 when said program is run on a computer or network device.

27. Computer program product comprising program code means stored on a computer readable
 20 medium for carrying out the method of anyone of claims 22 to 24 when said program is run on a network device or a mobile terminal device.